



CFC FREE

ELECTRO CONTACT CLEANER



FEATURES

- Ideal for electrical/electronic and fine parts
- Cleans and degreases delicate precision mechanisms
- Penetrating action removes oil, grease, dirt, flux and other contaminants
- Does not contain chlorinated solvents
- Fast evaporation
- No residue & safe on plastics
- Meets or exceeds: McDonnell Douglas CSD #1; AMS 1525B; ASTM F-519, Type 1c; MIL-PRF-29608
- Inverta Spray Valve lets you spray in an upright or inverted position



Nonfood Compounds Program Listed
Category Code: K2 Registration # 059813
(Aerosol); # 059814 (Bulk)

PACKAGES

Net Fill

- 11 oz. (312 grams) aerosol
- 1 gal. (3.78 liters)
- 5 gal. (18.93 liters)
- 55 gal. (208 liters)

Part No.

- 03116
- 03101
- 03105
- 03155

APPLICATIONS

- Cables
- Circuit Breakers
- Electric Motors
- Electronic Connectors
- Generators
- Hinges
- Ignition Systems
- Locks
- Micrometers
- Precision Open Gears
- Power Tools
- Relays
- Sliding Mechanisms
- Switch Gears

PROPERTIES

- Flash Point: <math><0^{\circ}\text{F}</math> (<math><-18^{\circ}\text{C}</math>)
- % Non-Volatiles: 50 ppm maximum
- % HCFCs: 0%
- KB Value: 31
- Specific Gravity: 0.665

- Surface Tension: 17.3 dynes/cm @ 77°F (25°C)
- Propellant: Carbon Dioxide
- VOC: 100%, 665 g/L, 5.55 lbs./gal.(bulk)



MATERIAL SAFETY DATA SHEETS AVAILABLE UPON REQUEST OR VISIT OUR WEB SITE : WWW.LPSLABS.COM

LPS Laboratories • An Illinois Tool Works Company

P.O. Box 105052 • 4647 Hugh Howell Road • Tucker, GA 30085-5052 • TEL: (800) 241-8334 or (770) 243-8800 • FAX: (800) 543-1563 or (770) 243-8899

Internet Web Site: www.lpslabs.com

©2008 LPS Laboratories • LPS® is a registered trademark of Illinois Tool Works • Printed in U.S.A. • All Rights Reserved • Form #2068 • Rev. 9/2008